Brain Research, 532 (1990) 358–359
Elsevier

Author Index

Abla, D., see Tanaka, Y., 339
Aguilera, G., see Hauger, R.L., 34
Amato, G., see Giardino, L., 140
Amir, S., see Dymshitz, J., 131
Anderson, W.W., Stasheff, S.F., Swartzwelder, H.S. and Wilson, W.A., Regenerative, all-or-none electrographic seizures in the rat hippocampal slice in Mg-free and physiological medium, 288
Angelides, K.J., see Elmer, L.W., 222
Arai, A., Kessler, M., Lee, K. and Lynch, G., Calpain inhibitors improve the recovery of synaptic transmission from hypoxia in hippocampal slices, 63
Armanini, M.P., Hutchins, C., Stein, B.A. and Sapolsky, R.M., Glucocorticoid endangerment of hippocampal neurons is NMDA-receptor dependent, 7
Arvidsson, U., Schalling, M., Cullheim, S., Ulfhake, B., Terenius, L., Verhofstad, A. and Hökfelt, T., Evidence for coexistence between calcitonin gene-related peptide and serotonin in the bulbospinal pathway in the monkey, 47

Baba, A., see Matsuda, T., 13
Beck, T. and Bielenberg, G.W., Failure of the lipid peroxidation inhibitor U74006F to improve neurological outcome after transient forebrain ischemia in the rat, 336
Behan, P.O., see Sherman, G.F., 25
Bellmann, R., see Weiler, R., 87
Bielenberg, G.W., see Beck, T., 336
Black, J.A., see Elmer, L.W., 222
Boer, G.J., see Gonzalez, B.J., 115
Bonhaus, D.W., Perry, W.B. and McNamara, J.O., Decreased density, but not number, of *N*-methyl-D-aspartate, glycine and phencyclidine binding sites in hippocampus of senescent rats, 82
Borredon, J., see Rigaud, A.S., 347
Boya, J., see Calvo, J.L., 355
Braff, D.L., see Swerdlow, N.R., 146
Buchanan, S.L., see Powell, D.A., 211

Calvo, J.L., Carbonell, A.L. and Boya, J., Coexpression of vimentin and glial fibrillary acidic protein in astrocytes of the adult rat optic nerve, 355
Calzà, L., see Giardino, L., 140
Carbonell, A.L., see Calvo, J.L., 355
Chu, B., see Kelley, A.E., 342
Cintra, L., Díaz-Cintra, S., Galván, A., Kemper, T. and Morgane, P.J., Effects of protein undernutrition on the dentate gyrus in rats of three age groups, 271
Court, J.A., Keith, A.B., Kerwin, J.M. and Perry, E.K., Fimbria-fornix lesions in aged rats cause increased carbachol-stimulated phosphoinositide hydrolysis in the hippocampus, but no change in muscarinic receptor binding, 333
Cuenca, N., Fernández, E. and Kolb, H., Distribution of immunoreactivity to protein kinase C in the turtle retina, 278
Cullheim, S., see Arvidsson, U., 47

Dalkara, T., Tan, E., Erdemli, G., Onur, R. and Zileli, T., Electrophysiological evidence for activation of NMDA receptors and its antagonism by MK-801 in cerebral ischemia, 101
Davidoff, R.A., see Gharagozloo, A., 19
De Groat, W.C., see Kruse, M.N., 182
Delfs, J.M., see Kelley, A.E., 342
De Mello, F.G., see Hokoç, J.N., 197
Díaz-Cintra, S., see Cintra, L., 271
DiFiglia, M., see Roberts, R.C., 151
Dragunow, M., see Jansen, K.L.R., 351
Dymshitz, J., Malach, R., Amir, S. and Simantov, R., Factors regulating the expression of acetylcholinesterase-containing neurons in striatal cultures: effects of chemical depolarization, 131

Elmer, L.W., Black, J.A., Waxman, S.G. and Angelides, K.J., The voltage-dependent sodium channel in mammalian CNS and PNS: antibody characterization and immunocytochemical localization, 222
Erdemli, G., see Dalkara, T., 101

Faull, R.L.M., see Jansen, K.L.R., 351
Feng, D.M., see Reid, M.S., 175
Fernández, E., see Cuenca, N., 278
Ferroni, S., see Mager, R., 58
Fischer-Colbrie, R., see Weiler, R., 87
Fletcher, P.W., see Rydelek-Fitzgerald, L., 191
Floyd, C., see Shiromani, P.J., 317
Folkers, K., see Reid, M.S., 175
Fox, A.P., see Hirning, L.D., 120
Furman, I. and Rahamimoff, H., The expression of rat brain synaptic plasma membrane Na^+-Ca^{2+} exchange activity in *Xenopus* oocytes, 41

Galaburda, A.M., see Sherman, G.F., 25
Galaburda, A.M., see Sherman, G.F., 232
Galván, A., see Cintra, L., 271
Gardino, P.F., see Hokoç, J.N., 197
Gemba, T., see Matsuda, T., 13
Geyer, M.A., see Swerdlow, N.R., 146
Gharagozloo, A., Holohean, A.M., Hackman, J.C. and Davidoff, R.A., Serotonin and GABA-induced depolarizations of frog primary afferent fibers, 19
Giardino, L., Calzà, L., Piazza, P.V., Zanni, M. and Amato, G., DA_2/NT receptor balance in the mesostriatal and mesolimbocortical systems after chronic treatment with typical and atypical neuroleptic drugs, 140
Glennon, R.A., see Rydelek-Fitzgerald, L., 191
Goldstein, M., see Reid, M.S., 175
Gonzalez, B.J., Leroux, P., Boer, G.J. and Vaudry, H., Expression of somatostatin receptors is impaired in the cerebellum of developing Brattleboro rats, 115

Hackman, J.C., see Gharagozloo, A., 19
Håkanson, R., see Reid, M.S., 175
Halász, B., see Kiss, J., 107
Harper, R.M., see Ni, H., 242
Hauger, R.L., Lorang, M., Irwin, M. and Aguilera, G., CRF receptor regulation and sensitization of ACTH responses to acute ether stress during chronic intermittent immobilization stress, 34
Herrera-Marschitz, M., see Reid, M.S., 175
Hirai, N., see Tanaka, Y., 339
Hirning, L.D., Fox, A.P. and Miller, R.J., Inhibition of calcium currents in cultured myenteric neurons by neuropeptide Y: evidence for direct receptor/channel coupling, 120
Hoeppner, T.J., The anticonvulsant valproic acid concentrates in the olfactory bulb: selective laminar localization, 326
Hökfelt, T., see Arvidsson, U., 47
Hökfelt, T., see Reid, M.S., 175
Hokoç, J.N., Ventura, A.L.M., Gardino, P.F. and De Mello, F.G., Developmental immunoreactivity for GABA and GAD in the avian retina: possible alternative pathway for GABA synthesis, 197
Holohean, A.M., see Gharagozloo, A., 19
Hoyer, S., see Mayer, G., 95
Hutchins, C., see Armanini, M.P., 7
Hutchison, W.D., Morton, C.R. and Terenius, L., Dynorphin A: in vivo release in the spinal cord of the cat, 299

Irwin, M., see Hauger, R.L., 34
Ismaiel, A.M., see Rydelek-Fitzgerald, L., 191
Iwata, H., see Matsuda, T., 13

Jansen, K.L.R., Faull, R.L.M. and Dragunow, M., NMDA and kainic acid receptors have a complementary distribution to AMPA receptors in the human cerebellum, 351
Jones, S.L., Sedivec, M.J. and Light, A.R., Effects of iontophoresed opioids on physiologically characterized laminae I and II dorsal horn neurons in the cat spinal cord, 160
Juang, H.-H., see Kapcala, L.P., 76

Kaczmarek, L.K., see Loechner, K.J., 1
Kamata, O., See Nakanishi, H., 69
Kamegai, M., Konishi, Y. and Tabira, T., Trophic effect of granulocyte-macrophage colony-stimulating factor on central cholinergic neurons in vitro, 323
Kapcala, L.P., Juang, H.-H. and Weng, C.-F., Corticotropin-releasing hormone and dexamethasone do not alter secretion of immunoreactive β-endorphin from dis-

Brain Research, 532 (1990) 358–359
Elsevier

Author Index

Abla, D., see Tanaka, Y., 339
Aguilera, G., see Hauger, R.L., 34
Amato, G., see Giardino, L., 140
Amir, S., see Dymshitz, J., 131
Anderson, W.W., Stasheff, S.F., Swartzwelder, H.S. and Wilson, W.A., Regenerative, all-or-none electrographic seizures in the rat hippocampal slice in Mg-free and physiological medium, 288
Angelides, K.J., see Elmer, L.W., 222
Arai, A., Kessler, M., Lee, K. and Lynch, G., Calpain inhibitors improve the recovery of synaptic transmission from hypoxia in hippocampal slices, 63
Armanini, M.P., Hutchins, C., Stein, B.A. and Sapolsky, R.M., Glucocorticoid endangerment of hippocampal neurons is NMDA-receptor dependent, 7
Arvidsson, U., Schalling, M., Cullheim, S., Ulfhake, B., Terenius, L., Verhofstad, A. and Hökfelt, T., Evidence for coexistence between calcitonin gene-related peptide and serotonin in the bulbospinal pathway in the monkey, 47

Baba, A., see Matsuda, T., 13
Beck, T. and Bielenberg, G.W., Failure of the lipid peroxidation inhibitor U74006F to improve neurological outcome after transient forebrain ischemia in the rat, 336
Behan, P.O., see Sherman, G.F., 25
Bellmann, R., see Weiler, R., 87
Bielenberg, G.W., see Beck, T., 336
Black, J.A., see Elmer, L.W., 222
Boer, G.J., see Gonzalez, B.J., 115
Bonhaus, D.W., Perry, W.B. and McNamara, J.O., Decreased density, but not number, of *N*-methyl-D-aspartate, glycine and phencyclidine binding sites in hippocampus of senescent rats, 82
Borredon, J., see Rigaud, A.S., 347
Boya, J., see Calvo, J.L., 355
Braff, D.L., see Swerdlow, N.R., 146
Buchanan, S.L., see Powell, D.A., 211

Calvo, J.L., Carbonell, A.L. and Boya, J., Coexpression of vimentin and glial fibrillary acidic protein in astrocytes of the adult rat optic nerve, 355
Calzà, L., see Giardino, L., 140
Carbonell, A.L., see Calvo, J.L., 355
Chu, B., see Kelley, A.E., 342
Cintra, L., Díaz-Cintra, S., Galván, A., Kemper, T. and Morgane, P.J., Effects of protein undernutrition on the dentate gyrus in rats of three age groups, 271
Court, J.A., Keith, A.B., Kerwin, J.M. and Perry, E.K., Fimbria-fornix lesions in aged rats cause increased carbachol-stimulated phosphoinositide hydrolysis in the hippocampus, but no change in muscarinic receptor binding, 333
Cuenca, N., Fernández, E. and Kolb, H., Distribution of immunoreactivity to protein kinase C in the turtle retina, 278
Cullheim, S., see Arvidsson, U., 47

Dalkara, T., Tan, E., Erdemli, G., Onur, R. and Zileli, T., Electrophysiological evidence for activation of NMDA receptors and its antagonism by MK-801 in cerebral ischemia, 101
Davidoff, R.A., see Gharagozloo, A., 19
De Groat, W.C., see Kruse, M.N., 182
Delfs, J.M., see Kelley, A.E., 342
De Mello, F.G., see Hokoç, J.N., 197
Díaz-Cintra, S., see Cintra, L., 271
DiFiglia, M., see Roberts, R.C., 151
Dragunow, M., see Jansen, K.L.R., 351
Dymshitz, J., Malach, R., Amir, S. and Simantov, R., Factors regulating the expression of acetylcholinesterase-containing neurons in striatal cultures: effects of chemical depolarization, 131

Elmer, L.W., Black, J.A., Waxman, S.G. and Angelides, K.J., The voltage-dependent sodium channel in mammalian CNS and PNS: antibody characterization and immunocytochemical localization, 222
Erdemli, G., see Dalkara, T., 101

Faull, R.L.M., see Jansen, K.L.R., 351
Feng, D.M., see Reid, M.S., 175
Fernández, E., see Cuenca, N., 278
Ferroni, S., see Mager, R., 58
Fischer-Colbrie, R., see Weiler, R., 87
Fletcher, P.W., see Rydelek-Fitzgerald, L., 191
Floyd, C., see Shiromani, P.J., 317
Folkers, K., see Reid, M.S., 175
Fox, A.P., see Hirning, L.D., 120
Furman, I. and Rahamimoff, H., The expression of rat brain synaptic plasma membrane Na^+-Ca^{2+} exchange activity in *Xenopus* oocytes, 41

Galaburda, A.M., see Sherman, G.F., 25
Galaburda, A.M., see Sherman, G.F., 232
Galván, A., see Cintra, L., 271
Gardino, P.F., see Hokoç, J.N., 197
Gemba, T., see Matsuda, T., 13
Geyer, M.A., see Swerdlow, N.R., 146
Gharagozloo, A., Holohean, A.M., Hackman, J.C. and Davidoff, R.A., Serotonin and GABA-induced depolarizations of frog primary afferent fibers, 19
Giardino, L., Calzà, L., Piazza, P.V., Zanni, M. and Amato, G., DA_2/NT receptor balance in the mesostriatal and mesolimbocortical systems after chronic treatment with typical and atypical neuroleptic drugs, 140
Glennon, R.A., see Rydelek-Fitzgerald, L., 191
Goldstein, M., see Reid, M.S., 175
Gonzalez, B.J., Leroux, P., Boer, G.J. and Vaudry, H., Expression of somatostatin receptors is impaired in the cerebellum of developing Brattleboro rats, 115

Hackman, J.C., see Gharagozloo, A., 19
Håkanson, R., see Reid, M.S., 175
Halász, B., see Kiss, J., 107
Harper, R.M., see Ni, H., 242
Hauger, R.L., Lorang, M., Irwin, M. and Aguilera, G., CRF receptor regulation and sensitization of ACTH responses to acute ether stress during chronic intermittent immobilization stress, 34
Herrera-Marschitz, M., see Reid, M.S., 175
Hirai, N., see Tanaka, Y., 339
Hirning, L.D., Fox, A.P. and Miller, R.J., Inhibition of calcium currents in cultured myenteric neurons by neuropeptide Y: evidence for direct receptor/channel coupling, 120
Hoeppner, T.J., The anticonvulsant valproic acid concentrates in the olfactory bulb: selective laminar localization, 326
Hökfelt, T., see Arvidsson, U., 47
Hökfelt, T., see Reid, M.S., 175
Hokoç, J.N., Ventura, A.L.M., Gardino, P.F. and De Mello, F.G., Developmental immunoreactivity for GABA and GAD in the avian retina: possible alternative pathway for GABA synthesis, 197
Holohean, A.M., see Gharagozloo, A., 19
Hoyer, S., see Mayer, G., 95
Hutchins, C., see Armanini, M.P., 7
Hutchison, W.D., Morton, C.R. and Terenius, L., Dynorphin A: in vivo release in the spinal cord of the cat, 299

Irwin, M., see Hauger, R.L., 34
Ismaiel, A.M., see Rydelek-Fitzgerald, L., 191
Iwata, H., see Matsuda, T., 13

Jansen, K.L.R., Faull, R.L.M. and Dragunow, M., NMDA and kainic acid receptors have a complementary distribution to AMPA receptors in the human cerebellum, 351
Jones, S.L., Sedivec, M.J. and Light, A.R., Effects of iontophoresed opioids on physiologically characterized laminae I and II dorsal horn neurons in the cat spinal cord, 160
Juang, H.-H., see Kapcala, L.P., 76

Kaczmarek, L.K., see Loechner, K.J., 1
Kamata, O., See Nakanishi, H., 69
Kamegai, M., Konishi, Y. and Tabira, T., Trophic effect of granulocyte-macrophage colony-stimulating factor on central cholinergic neurons in vitro, 323
Kapcala, L.P., Juang, H.-H. and Weng, C.-F., Corticotropin-releasing hormone and dexamethasone do not alter secretion of immunoreactive β-endorphin from dis-

sociated fetal hypothalamic cell cultures, 76
Keith, A.B., see Court, J.A., 333
Kelley, A.E., Delfs, J.M. and Chu, B., Neurotoxicity induced by the D-1 agonist SKF 38393 following microinjection into rat brain, 342
Kemper, T., see Cintra, L., 271
Kerwin, J.M., see Court, J.A., 333
Kessler, M., see Arai, A., 63
Kiss, J. and Halász, B., Ultrastructural analysis of the innervation of TRH-immunoreactive neuronal elements located in the periventricular subdivision of the paraventricular nucleus of the rat hypothalamus, 107
Kleven, M.S., Perry, B.D., Woolverton, W.L. and Seiden, L.S., Effects of repeated injections of cocaine on D_1 and D_2 dopamine receptors in rat brain, 265
Kolb, H., see Cuenca, N., 278
Konishi, Y., see Kamegai, M., 323
Kruse, M.N., Noto, H., Roppolo, J.R. and De Groat, W.C., Pontine control of the urinary bladder and external urethral sphincter in the rat, 182

Lee, K., see Arai, A., 63
Leroux, P., see Gonzalez, B.J., 115
Light, A.R., see Jones, S.L., 160
Loechner, K.J. and Kaczmarek, L.K., Control of potassium currents and cyclic AMP levels by autoactive neuropeptides in *Aplysia* neurons, 1
Lorang, M., see Hauger, R.L., 34
Lynch, G., see Arai, A., 63

Mager, R., Ferroni, S. and Schubert, P., Adenosine modulates a voltage-dependent chloride conductance in cultured hippocampal neurons, 58
Malach, R., see Dymshitz, J., 131
Marksteiner, J., see Weiler, R., 87
Matsuda, T., Gemba, T., Baba, A. and Iwata, H., Decrease of Na^+-Ca^{2+} exchange activity by ascorbate in rat brain membrane vesicles, 13
Mayer, G., Nitsch, R. and Hoyer, S., Effects of changes in peripheral and cerebral glucose metabolism on locomotor activity, learning and memory in adult male rats, 95
McNamara, J.O., see Bonhaus, D.W., 82
Michael, R.P., see West, C.H.K., 307
Miller, R.J., see Hirning, L.D., 120
Morgane, P.J., see Cintra, L., 271
Morrison, L., see Sherman, G.F., 25
Morton, C.R., see Hutchison, W.D., 299

Nakagawa, T., see Nakanishi, H., 69
Nakanishi, H., Ukai, K., Nakagawa, T., Watanabe, S., Kamata, O. and Yamamoto, K., Enhancement of NMDA receptor-mediated synaptic potential evoked in rat medial-amygdala neuron following olfactory bulbectomy, 69
Neal, J.W., Pearson, R.C.A. and Powell, T.P.S., The connections of area PG, 7a, with cortex in the parietal, occipital and temporal lobes of the monkey, 249
Ni, H., Zhang, J. and Harper, R.M., Cardiovascular-related discharge of periaqueductal gray neurons during sleep–waking states, 242
Nitsch, R., see Mayer, G., 95
Noto, H., see Kruse, M.N., 182

Onur, R., see Dalkara, T., 101

Pearson, R.C.A., see Neal, J.W., 249
Perry, B.D., see Kleven, M.S., 265
Perry, E.K., see Court, J.A., 333
Perry, W.B., see Bonhaus, D.W., 82
Piazza, P.V., see Giardino, L., 140
Pinard, E., see Rigaud, A.S., 347
Powell, D.A., Watson, K.L. and Buchanan, S.L., Neuronal activity in the mediodorsal and intralaminar nuclei of the dorsal thalamus during classical heart rate conditioning, 211
Powell, T.P.S., see Neal, J.W., 249
Proudfit, H.K., see Yeomans, D.C., 329

Rahamimoff, H., see Furman, I., 41
Reid, M.S., Hökfelt, T., Herrera-Marschitz, M., Håkanson, R., Feng, D.M., Folkers, K., Goldstein, M. and Ungerstedt, U., Intranigral substance P stimulation of striatal dopamine release is inhibited by Spantide II: a new tachykinin antagonist without apparent neurotoxicity, 175
Rigaud, A.S., Pinard, E., Borredon, J. and Seylaz, J., Effect of chronic cervical sympathectomy on local cerebral blood flow during limbic seizures in rat, 347
Roberts, R.C. and DiFiglia, M., Long-term survival of GABA-, enkephalin-, NADPH-diaphorase- and calbindin-d28k-containing neurons in fetal striatal grafts, 151
Roppolo, J.R., see Kruse, M.N., 182
Rosen, G.D., see Sherman, G.F., 25
Rosen, G.D., see Sherman, G.F., 232
Rydelek-Fitzgerald, L., Teitler, M., Fletcher, P.W., Ismaiel, A.M. and Glennon, R.A., NAN-190: agonist and antagonist interactions with brain 5-HT_{1A} receptors, 191

Sapolsky, R.M., see Armanini, M.P., 7
Schaechter, J.D. and Wurtman, R.J., Serotonin release varies with brain tryptophan levels, 203
Schalling, M., see Arvidsson, U., 47
Schober, M., see Weiler, R., 87
Schubert, P., see Mager, R., 58
Sedivec, M.J., see Jones, S.L., 160
Seiden, L.S., see Kleven, M.S., 265
Seylaz, J., see Rigaud, A.S., 347
Sherman, G.F., Morrison, L., Rosen, G.D., Behan, P.O. and Galaburda, A.M., Brain abnormalities in immune defective mice, 25
Sherman, G.F., Stone, J.S., Rosen, G.D. and Galaburda, A.M., Neocortical VIP neurons are increased in the hemisphere containing focal cerebrocortical microdysgenesis in New Zealand Black mice, 232
Shiromani, P.J., Floyd, C. and Velázquez-Moctezuma, J., Pontine cholinergic neurons simultaneously innervate two thalamic targets, 317
Siegel, J.M., see Wu, M.-F., 237
Simantov, R., see Dymshitz, J., 131
Sperk, G., see Weiler, R., 87
Stasheff, S.F., see Anderson, W.W., 288
Stein, B.A., see Armanini, M.P., 7
Stone, J.S., see Sherman, G.F., 232
Swartzwelder, H.S., see Anderson, W.W., 288
Swerdlow, N.R., Braff, D.L. and Geyer, M.A., GABAergic projection from nucleus accumbens to ventral pallidum mediates dopamine-induced sensorimotor gating deficits of acoustic startle in rats, 146

Tabira, T., see Kamegai, M., 323
Tan, E., see Dalkara, T., 101
Tanaka, Y., Abla, D. and Hirai, N., Activity of crossed spinocerebellar tract neurones in the thoracic spinal cord in relation to the central respiratory rhythm, 339
Teitler, M., see Rydelek-Fitzgerald, L., 191
Terenius, L., see Arvidsson, U., 47
Terenius, L., see Hutchison, W.D., 299

Ukai, K., see Nakanishi, H., 69
Ulfhake, B., see Arvidsson, U., 47
Ungerstedt, U., see Reid, M.S., 175

Vaudry, H., see Gonzalez, B.J., 115
Velázquez-Moctezuma, J., see Shiromani, P.J., 317
Ventura, A.L.M., see Hokoç, J.N., 197
Verhofstad, A., see Arvidsson, U., 47

Watanabe, S., see Nakanishi, H., 69
Watson, K.L., see Powell, D.A., 211
Waxman, S.G., see Elmer, L.W., 222
Weiler, R., Marksteiner, J., Bellmann, R., Wohlfarter, T., Schober, M., Fischer-Colbrie, R., Sperk, G. and Winkler, H., Chromogranins in rat brain: characterization, topographical distribution and regulation of synthesis, 87
Weng, C.-F., see Kapcala, L.P., 76
West, C.H.K. and Michael, R.P., Responses of units in the mesolimbic system to olfactory and somatosensory stimuli: modulation of sensory input by ventral tegmental stimulation, 307
Wilson, W.A., see Anderson, W.W., 288
Winkler, H., see Weiler, R., 87
Wohlfarter, T., see Weiler, R., 87
Woolverton, W.L., see Kleven, M.S., 265
Wu, M.-F. and Siegel, J.M., Facilitation of the acoustic startle reflex by ponto-geniculo-occipital waves: effects of PCPA, 237
Wurtman, R.J., see Schaechter, J.D., 203

Yamamoto, K., see Nakanishi, H., 69
Yeomans, D.C. and Proudfit, H.K., Projections of substance P-immunoreactive neurons located in the ventromedial medulla to the A7 noradrenergic nucleus of the rat demonstrated using retrograde tracing combined with immunocytochemistry, 329

Zanni, M., see Giardino, L., 140
Zhang, J., see Ni, H., 242
Zileli, T., see Dalkara, T., 101